IEC AV/Computer Cooperative Purchase Program Catalog

MULTIMEDIA PROJECTORS: Classroom Multimedia Projectors

DLP, 2600 Lumens, Classroom Multimedia Projector (SVGA) - Vivitek D825ES

DLP; SVGA 800x600 native resolution; 2600 lumens; 2200:1 contrast ratio; Maximum Resolution UXGA 1600 x 1200@60 Hz; Viewable Size 23" - 255" Diagonal. Lens Throw Ratio 1.9 - 2.16; Manual Zoom & Manual Focus; Video Compatibility EDTV (480p), HDTV (576i, 720p, 1080i) thru RGB, NTSC/NTSC 4.43, PAL B/G/H/I/M/N 60, SECAM; Computer / Video Input Support RGB: HD-15, Composite Video (RCA x 1), S-Video (Mini DIN) x 1, Audio Mini-Jack x 1; Output Terminals RGB (D-Sub) x 1, Communication Terminals USB (Service), RS-232C x 1; 1W Mono speaker; Weight 5.7lbs; Dimensions (W x H x D) 11 x 8.0 x 3.5"; includes a softcase. 3-year parts and labor warranty, 1-year lamp warranty.



Order # 62880 Co-op Price: \$428.63

MSRP: \$719.00



http://www.vivitekcorp.com/d825es_ex.php

DLP, 2500 Lumens, Classroom Multimedia Projector (SVGA) IN2102EP - Infocus

DLP; 2500 lumens; Native resolution SVGA 800x600; Native Aspect Ratio: 4x3; Aspect Ratio: 16:9, 4:3, 5:4; Contrast Ratio: 2000 : 1 Full On/Full Off; DLP by Texas Instruments with Brilliant Color: Data Compatibility: VGA (640x480), SVGA (800x600), XGA (1024x768); Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i Color Wheel (DLP Only): 5-segment; Ceiling Projection, Front Projection, Rear Projection; Lamp Life: High Bright: 2500 Hours, Eco Mode: 3000 Hours; 2.00 ft, Maximum Image Size: 19.98 ft. Minimum Image Size: Standard Lens Projection Distance: 3.93 - 32.80 ft.; Inputs: 2-VGA 1-S-Video, 1-composite (RCA); stereo 3.5 mini-jack audio input; monitor output; 2 watt mono speaker; Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i; HDCP Support; Audible Noise: 35 dB; Actual Dimensions: Height: 4.3 in x Length: 9.5 in x Width: 11.7 in; Weight: 6.9 lbs. 3-year parts and labor warranty; 1-year lamp warranty.



Order # 62890

Co-op Price: \$438.84



MSRP: \$499.00 Vendor: B & H Photo-Video

http://www.bhphotovideo.com/c/product/54388 1-REG/InFocus_IN2102EP_IN2102EP_DLP_Mult imedia_Projector.html

Additional 1-Year Warranty for Infocus IN2102EP - Infocus EPW1

Adds an additional year to create a 4-year warranty for the IN2102EP projector. Must be purchased at time of projector.



Order # 62900 Co-op Price: \$111.78 MSRP: \$149.00

Vendor: B & H Photo-Video

DLP, 2200 Lumens, Classroom Multimedia Projector (SVGA) - Optoma Technology TS721

DLP Technology - filter free design for zero maintenance & low cost of ownership. SVGA 800 x 600 native resolution. SXGA 1400 x 1050 maximum resolution, 2200 Lumens; 2000:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel creates the new DLP Brilliant Color technology which elevates color fidelity and performance, 2000 hour standard / 3000 hour economy mode user replaceable 200W lamp; Manual Zoom and Focus Lens; HDTV compatible; DVI-I & VGA Video inputs, S-Video input, 3.5mm audio input, USB connection for remote control input, full time functional VGA video output, keystone correction, 1-watt internal speaker, weighs 4 pounds. Standard Accessories - AC power cord, VGA cable, USB cable, batteries for remote, user guide, warranty card, soft carrying case and CD-Rom users manual. Also includes fully featured IR wireless remote control with laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.



Co-op Price: \$465.00

MSRP: \$1399.00

Vendor: Rick's Computers, Inc.

Order # 62910

http://www.riks.com/products/optoma/projector s.php?ID=4

Extra Warranty for Optoma TS721 - Optoma Technology 1-vear extended warrantv

4th-year warranty for Optoma projectors. Must be purchased at the same time as the projector.

Order # 62920

Co-op Price: \$195.00

MSRP: \$195.00

Vendor: Rick's Computers, Inc.

DLP, 2500 Lumens, Classroom Multimedia Projector (XGA) -Infocus IN2104EP

DLP; 2500 lumens; Native resolution XGA 1024x768; Native Aspect Ratio: 4x3; Aspect Ratio: 16:9, 4:3, 5:4; Contrast Ratio: 2000 : 1 Full On/Full Off; DLP by Texas Instruments with Brilliant Color; Data Compatibility: VGA (640x480), SVGA (800x600), XGA (1024x768); Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i Color Wheel (DLP Only): 5-segment; Ceiling Projection, Front Projection, Rear Projection; Lamp Life: High Bright: 2500 Hours, Eco Mode: 3000 Hours: Minimum Image Size: 2.00 ft, Maximum Image Size: 19.98 ft. Standard Lens Projection Distance: 3.93 - 32.80 ft.; Inputs: 2-VGA, 1-S-Video, 1-composite (RCA); stereo 3.5 mini-jack audio input; monitor output; 2 watt mono speaker; Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i; HDCP Support; Audible Noise: 35 dB; Actual Dimensions: Height: 4.3 in x Length: 9.5 in x Width: 11.7 in; Weight: 6.9 lbs. 3-year parts and labor warranty; 1-year lamp warranty.





Vendor: Midwest Computer Products, Inc. http://www.infocus.com/Products/Projectors/IN 2104.aspx



TS721

Multimedia Projectors: Classroom Multimedia Projectors

Additional Warranty for Infocus IN2104EP - Infocus EW1

4th Year warranty for IN2104 projector.

Order # 62940 Co-op Price: \$133.52 MSRP:

Vendor: Midwest Computer Products, Inc.

LCD, 2200 Lumens, Classroom Multimedia Projector (XGA) -Dukane 8755H

LCD; 2200 lumen; XGA 1024 x 768 native resolution; Whiteboard & Blackboard Modes; Easy maintenance with lamp access on top & 2000 hour filter with side access; Monitor loopthrough, remote mouse control; Audio passthrough; Auto Vertical keystone correction; HDTV ready; Lock slot, security bar. Contrast: 500:1; Aspect Ratio: 4:3, 16:9; VGA, SVGA, XGA, SXGA and UXGA, MAC13" and MAC16"; Video Capability: NTSC, HDTV (1080i, 720p, 576i, 480i/p); Projection Modes: Front/rear/ceiling. Lamp Life: 3000 / 4000 hours. Inputs Video: (1) Component, RCA x 3 (1) S-Video, Min DIN 4-pin (1) Composite Video, RCA; Inputs Computer: (2) RGB, 15 pin D-sub; Outputs Control: (1) RS-232, 9 pin D-sub; (1) USB Mouse Control; Audio: 1 speaker, 7 watt; 7.7 lbs. Includes Remote control with batteries, Power cord, RGB cable, RCA video cable, Operators manual, Soft carry case. 5-year warranty parts and labor with 1st year replacement.



Order # 62950

Co-op Price: \$552.99

MSRP: \$1739.50 Vendor: Camcor, Inc.



http://www.dukcorp.com/audiovisual/products/l tem_dvProjectors.asp?Model=8755H

LCD, 2200 Lumens, Classroom Multimedia Projector (XGA) -Epson 83+

For lowa customers only.

LCD; XGA native, 2200 lumens; 1024x768; Aspect Ratio 4:3 (supports 16:9); optical zoom lens; 3,000 / 4,000 hour lamp life; 400:1 contrast ratio; 10W monaural speaker; Closed captioning functionality; Dimension 9.7" x 12.9" x 4.3" (including lens and feet); fan noise 35db high brightness; operates out to 19.7'; Remote Control: Source selection, power, aspect, color mode, volume, e-zoom, A/V mute, freeze, menu, help, auto; Video I/O: NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM; HDTV: 480i, 480p, 720p, 1080i. Interfaces: Computer/Component video: Mini D-sub 15 pin x 2; Audio In for Computer/component: RCA x 2; S-video: Mini DIN; Composite video: RCA x 1; Monitor out Composite audio RCA x ; Control I/O RJ-45 Network Connection. Supplied Accessories: Power cable, remote control with batteries, computer cable, User Manual on CD-ROM, Quick Setup Sheet, password protect sticker. 6.4 lbs. 3 Year machine warranty and Epson Road Service Program and Epson PrivateLine dedicated toll-free support , 90 lamp warranty.



Order # 62960

Co-op Price: \$575.46

MSRP:

Vendor: Midwest Computer Products, Inc.

http://www.epson.com/cgi-bin/Store/consumer/ consDetail.jsp?BV_UseBVCookie=yes&oid=630 74999



Additional Warranty for Epson 83+ & 822+ - Epson BFEPPFTPA1 4th Year Warranty

For lowa customers only.

Order # 62970

Co-op Price: \$102.47

MSRP:

Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 83+ & 822+ - Epson BFEPPFTPA2 5th Year Warranty

For lowa customers only.

Order # 62980

Co-op Price: \$174.92

MSRP:

Vendor: Midwest Computer Products, Inc.

LCD, 1800 Lumens, Short Throw Classroom Multimedia Projector (WXGA) - Epson 400 W

For lowa customers only. LCD; 1800 Lumens; WXGA, 1280x800, native resolution. 16:10 aspect ratio; Lamp life 3000/4000 hours. Short-throw lens design reduces shadows from presenters on screens or interactive whiteboards - display an 87-inch, 16:10 image from just 3.4 feet away. Manual Zoom and Focus Digital 1.35x Zoom, F1.80, 6.48 mm focal length Image Size 50 - 100 inches diagonal; Built-in closed captioning; Composite Video, RCA x 1; S-Video (Mini DIN 4-pin (Y/C)) x 1; Ethernet (Network addressable, RJ45) x 1; VGA (Analog data, mini D-Sub 15-pin) x 2; RS-232 (Serial) x 1; Stereo Mini-Jack (3.5 mm) x 2; Analog Audio (RCA x 2) x 1. Outputs: VGA (Analog data, mini D-Sub 15-pin) x 1; Stereo Mini-Jack (3.5 mm) x 1; Built-in Audio 10 W monaural; optional wall mount reduces installation time and costs;Easy network control – RJ-45 and RS-232c connections. Dimensions 12.9" x 10.7" x 6.2" (W x H x D). Weight 7.9 lbs. 3-year parts and labor warranty.



Order # 62990

Co-op Price: \$930.47

MSRP: \$1299.00 Vendor: Midwest Computer Products, Inc.

http://www.epsonbrighterfutures.com/products/ classroom



Epson 400 W Projector Package Includes Short Throw Wall Mounting Arm, Epson ELPMSTPW - Epson V11H281020WM

For Iowa and Illinois customers only. Includes Epson Wall Arm offers an easier, more affordable solution for installation applications with 35" to 41" adjustable throw distance for mounting the Epson 400W Short Throw Projector. LCD; 1800 Lumens; WXGA, 1280x800, native resolution. 16:10 aspect ratio; Lamp life 3000/4000 hours. Short-throw lens design reduces shadows from presenters on screens or interactive whiteboards - display an 87-inch, 16:10 image from just 3.4 feet away. Manual Zoom and Focus 50 - 100 Digital 1.35x Zoom, F1.80, 6.48 mm focal length Image Size inches diagonal; Built-in closed captioning; Composite Video, RCA x 1; S-Video (Mini DIN 4-pin (Y/C)) x 1; Ethernet (Network addressable, RJ45) x 1; VGA (Analog data, mini D-Sub 15-pin) x 2; RS-232 (Serial) x 1; Stereo Mini-Jack (3.5 mm) x 2; Analog Audio (RCA x 2) x 1. Outputs: VGA (Analog data, mini D-Sub 15-pin) x 1; Stereo Mini-Jack (3.5 mm) x 1; Built-in Audio 10 W monaural; optional wall mount reduces installation time and costs;Easy network control - RJ-45 and RS-232c connections. Dimensions 12.9" x 10.7" x 6.2" (W x H x D). Weight 7.9 lbs. 3-year parts and labor warranty.



Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 400W - Epson BFEPPFTPA1 4th Year Warranty

For lowa customers only.

Order # 63010

Co-op Price: \$102.47

MSRP:

Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 400W - Epson **BFEPPFTPA2 5th Year Warranty**

For lowa customers only.

Order # 63020

Co-op Price: \$174.92

MSRP:

Vendor: Midwest Computer Products, Inc.

LCD, 2000 Lumens, Ultra Close-Focus Classroom Multimedia Projector (XGA) - Hitachi CPA52

LCD; 2,000 Lumens; Native XGA Resolution; Ultra Short Throw Distance ultra-short throw distance of 60 inches at 1.4 feet, This not only prevents image obstruction, but also means there are no shadows interfering with the image and no light in the presenter's face. 2 RGB inputs / 1 RGB output; Aspect Ratio Native 4:3 / 16:9 compatible; Contrast Ratio 500:1; 7W speaker output; Component / Composite / S-Video Inputs; 28 dB (Whisper Mode); 2,000 Hour Rear Mounted Hybrid Filter; Lamp door on top; Lamp life 2000 / 3,000 hrs.; Closed Caption; remote control; • Security Bar & Transition Detector • Instant On/Off; No RJ-45 Network Jack / not networkable; Dimensions (W x D x H) 15.6" x 14.0" x 5.2"; weight 12.8 lbs. 4-year or 4000 hours which ever comes first warranty. 6-month lamp warranty.



MSRP: \$2295.00

Vendor: Troxell Communications, Inc.

http://www.hitachi-homeelectronics.us/digitalm edia/lcd projectors/quide/lineup/details/cp-a52. html#high_specs

LCD. 2000 Lumens. Ultra Close-Focus Classroom Multimedia Projector (XGA) - Hitachi EDA100

LCD; 2,000 ANSI lumens, XGA resolution and a 500:1 contrast ratio. Features an ultra-short throw distance of 60 inches at 1.4 feet. , eliminating the problem of presenters obstructing the projected image by standing in front of the screen. ED-A100 also has networking capability, allowing multiple projectors to be controlled and monitored from a single location. This is particularly beneficial in schools and large corporate environments, where projectors are located throughout a facility and the monitoring of each projector is a time-consuming ordeal. With the benefits of networking technology, a technician can monitor details such as lamp life for each projector from his/her computer. The ED-A100 addresses the issue of security with functions such as multilevel PIN locks, a security bar and a Kensington slot. Easy maintenance, its lamp door is on top of the model, and the filter is located on the back, allowing for easy access. The ED-A100 offers additional versatility with its Whiteboard, Blackboard or Day Time Modes. 12.8 lbs. 4-year or 4000 hours which ever comes first warranty. 6 month lamp warranty.



Order # 63040 Co-op Price: \$1110.87

MSRP: \$2495.00

Vendor: Troxell Communications, Inc.



http://www.hitachi-homeelectronics.us/digitalm edia/lcd_projectors/guide/lineup/details/ed-a100 htm

Short Throw Projector Wall Mounting Arm for Hitachi CP-A100, ED-A100, CP-A52 - Hitachi HITA100WallArm

The Hitachi A100WALLARM Wall Arm Mount attaches to a wall and is designed for the Hitachi CP-A100 LCD projector. The A100WALLARM mounts directly onto any flat wall surface, offering the ability to strategically place the projector out of the way, while maintaining focus on the presentation.







MSRP: Vendor: Troxell Communications, Inc.

http://www.hitachi-homeelectronics.us/digitalm edia/lcd_projectors/mounting_solutions/details/ ĆPA100WALLARM.html

MULTIMEDIA PROJECTORS: Lab / Board Room **Multimedia Projectors**

DLP, 2500 Lumens, Lab / Boardroom / Presentation Room Multimedia Projector (XGA) - InFocus IN2104EP

DLP: 2500 lumens; Native resolution XGA 1024x768; Native Aspect Ratio: 4x3; Aspect Ratio: 16:9, 4:3, 5:4; Contrast Ratio: 2000 : 1 Full On/Full Off; DLP by Texas Instruments with Brilliant Color; Data Compatibility: VGA (640x480), SVGA (800x600), XGA (1024x768); Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i Color Wheel (DLP Only): 5-segment; Ceiling Projection, Front Projection, Rear Projection; Lamp Life: High Bright: 2500 Hours, Eco Mode: 3000 Hours; 2.00 ft, Maximum Image Size: 19.98 ft. Minimum Image Size: Standard Lens Projection Distance: 3.93 - 32.80 ft.; Inputs: 2-VGA, 1-S-Video, 1-composite (RCA); stereo 3.5 mini-jack audio input; monitor output; 2 watt mono speaker; Video Compatibility: Full NTSC, PAL, SECAM, 480i, 576i, 480p, 576p, 720p, 1080i; HDCP Support; Audible Noise: 35 dB; Actual Dimensions: Height: 4.3 in x Length: 9.5 in x Width: 11.7 in; Weight: 6.9 lbs. 3-year parts and labor warranty; 1-year lamp warranty.



Co-op Price: \$547.52

Order # 63060

MSRP:



Vendor: Midwest Computer Products, Inc.

http://www.infocus.com/Products/Projectors/IN 2104.aspx

Additional Warranty for Infocus IN2104EP - Infocus EW1 4th Year warranty for IN2104 projector.



Order # 63070 Co-op Price: \$133.52

MSRP:

Vendor: Midwest Computer Products, Inc.

LCD, 2600 Lumens, Lab / Boardroom / Presentation Room Multimedia Projector (XGA) - Dukane 8912H


LCD; 2600 lumen; 1024 x 768 XGA resolution; Inputs Video: (1) Component, RCA x 3; (1) S-video, Mini DIN 4-pin; (1) Composite video, RCA x 1 Inputs Computer: (2) RGB, 15 pin D-Sub; Outputs Control: RS-232, 9 pin D-sub; USB Mouse control; Audio: 1 speaker 7 watt; Lamp Life: 2000 hours (3000 hours whisper mode); Contrast: 400:1; Throw Ratio: 1.5-1.8; Aspect Ratio: 4:3, 16:9 selectable; Computer Capability: VGA, SVGA, XGA, XSGA, UXGA, Compressed PC and MAC; Video Capability: NTSC, NTSC 4.43, PAL, SECAM, PAL-M, PAN-N, HDTV (1080i, 720p, 576i, 480i/p); Image Control: Freeze function, electronic magnification and pan; Projection Modes: Front/rear/ceiling; Whiteboard and Blackboard modes; Lamp access on top & filter access on side, Filter cleaning recommended at 400-500 hrs; Monitor loopthrough & remote mouse control: Remote control with "My Buttons": Auto Vertical keystone correction; HDTV ready & Progressive Scan; Kensington lock slot & security bar. Included Remote control with batteries, Power cord; RGB cable; RCA video cable; Operators Manual; Soft carry case Weight: 7.7 lbs; Size: 13.4" x 3.9" x 10.6". 5-year warranty parts and labor with 1st year replacement.



Order # 63080

Co-op Price: \$601.08 MSRP: \$1989.00

Vendor: Camcor, Inc.



MULTIMEDIA PROJECTORS: Large Room Multimedia Projector with Zoom Lens

LCD. 3000 Lumens, Large Room Multimedia Projector (XGA) - NEC NP500

LCD; XGA native resolution; 3000 ANSI lumens; Contras ration 500:1; Built-in closed captioning enables decoding and display of text information from a video; Virtual Remote (DDC/CI) over the VGA cable to control the projector directly from a computer without the need for additional control cables; Integrated RJ45 connection for quick connection to the LAN; 3500 - 5000 hour Lamp life; Dual computer inputs, including DVI-I, ensure quick switching between presentations; Automatic keystone correction technology instantly projects a square image even when the projector is set up at a steep offset angle to the screen. 7W audio; dimensions: 12.1 x 10.3 x 3.7 in.; 6.6 lbs. 3-year warranty with option to register with Star Student program and selects KCAV as the preferred reseller to receive a 4th year parts and labor warranty free. In the Box: Carrying case, carrying handle for projector, remote control, batteries, power cord, RGB signal cable, lens cap, user's manual on CD-ROM, quick start guide, product registration card, DVI-I - VGA adapter.



Order # 63090

Co-op Price: \$747.27

MSRP: \$1399.00 Vendor: Kansas City Audio-Visual, Inc.



http://www.necdisplay.com/Products/Product/? product=0ff65f9b-1722-4e30-8920-14ef70ed53d d

DLP, 3500 Lumens, Large Room Multimedia Projector w/Zoom Lens (XGA) - Optoma Technology TX763

DLP Technology - filter free design for zero maintenance & low cost of ownership, XGA 1024 x 768 native resolution, SXGA 1400 x 1050 maximum resolution, 3500 Lumens; 2200:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel creates the new DLP Brilliant Color technology which elevates color fidelity and performance, 2000 hour standard / 3000 hour economy mode user replaceable 230 watt lamp; Manual Zoom and Focus Lens; HDTV compatible; DVI-D video input, Dual VGA video inputs, S-Video input, Composite RCA video input, four discrete 3.5mm audio inputs - one for each video source, 3.5mm Stereo Audio Output, full time functional VGA video output, keystone correction, 2-watt internal speaker, USB connection for remote control correction, weighs 6.3 pounds. Standard Accessories - AC power cord, VGA cable, USB cable, Composite Video cable, batteries for remote, CD Users Manual, Quick Start Guide, Warranty Card, Lens Cap, Carrying Case and CD-Rom users manual. Also includes fully featured IR wireless remote control with laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.



Order # 63100 Co-op Price: \$995.00

MSRP: \$2999.00

Vendor: Rick's Computers, Inc.



http://www.riks.com/products/optoma/projector s.php?ID=10

Extra Warranty for Optoma TX763 - Optoma Technology 1-year extended warranty

4th-year warranty for Optoma projectors. Must be purchased at the same time as the projector.

> Order # 63110 Co-op Price: \$195.00 MSRP: \$195.00

Vendor: Rick's Computers, Inc.



MULTIMEDIA PROJECTORS: Lightweight / Portable Multimedia Projectors

LCD. 2000 Lumens. Portable Multimedia Projector (XGA) -Dukane 8770

LCD; 2000 lumen ; 1024 x 768 XGA native resolution; 3 Polysilicon Active-Matrix LCDs; Wide Angle Lens; HDTV ready; 2000 hours, (3000 hours whisper mode); PIN Security Transition Detector; Vertical keystone correct +/- 30 deg; Easy to transport, Size: 10.8" x 2.3" x 8.1", only 3.9 lbs; Monitor loop through; Remote mouse control; 1 speaker; Blackboard and whiteboard mode; Ceiling mountable; Included Remote control with batteries, Power cord, RGB cable, RCA video cable, Mini-RCA audio adapter, Operators manual, Soft carry case, Easiteach Starter Kit. 5- Year Warranty with first vear replacement.



Order # 63120

Co-op Price: \$552.99

MSRP: \$1689.00 Vendor: Camcor, Inc.



http://www.dukcorp.com/audiovisual/products/l tem_dvProjectors.asp?Model=8770

DLP, 2200 Lumens, Portable Multimedia Projector (XGA) -**Optoma Technology** TX727

DLP Technology - filter free design for zero maintenance & low cost of ownership. XGA 1024 x 768 native resolution, SXGA 1400 x 1050 maximum resolution, 2200 Lumens; 2200:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel creates the new DLP Brilliant Color technology which elevates color fidelity and performance, 2000 hour standard / 3000 hour economy mode user replaceable 200 watt lamp; Manual Zoom and Focus Lens; HDTV compatible; DVI-I & VGA Video inputs, S-Video input, 3.5mm audio input, USB connection for remote control input, full time functional VGA video output, keystone correction, 1-watt internal speaker, weighs 4 pounds. Standard Accessories - AC power cord, VGA cable, USB cable, batteries for remote, user guide, warranty card, soft carrying case and CD-Rom users manual. Also includes fully featured IR wireless remote control with laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.



Order # 63130

Co-op Price: \$595.00 MSRP: \$1599.00

Vendor: Rick's Computers, Inc.

http://www.riks.com/products/optoma/projector s.php?ID=5

Extra Warranty for Optoma TX727 - Optoma Technology 1-year extended warranty

4th-year warranty for Optoma projectors. Must be purchased at the same time as the projector.

Order # 63140

Co-op Price: \$195.00

MSRP: \$195.00

Vendor: Rick's Computers, Inc.

DLP, 2700 Lumens, Portable Multimedia Projector (XGA) -**Optoma Technology EW1610**

DLP Technology - filter free design for zero maintenance & low cost of ownership. WXGA 1280 x 800 native resolution, WUXGA 1920 x 1200 maximum resolution, 2700 Lumens; 2200:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel creates the new DLP Brilliant Color technology which elevates color fidelity and performance, 3000 hour standard / 4000 hour economy mode user replaceable 200 watt lamp; Manual Zoom and Focus Lens: HDTV compatible: DVI-I & VGA Video inputs, S-Video input, 3.5mm audio input, USB connection for remote control input, full time functional VGA video output, keystone correction, 2-watt internal speaker, weighs 4 pounds. Standard Accessories - AC power cord, VGA cable, USB cable, batteries for remote, user guide, warranty card, soft carrying case and CD-Rom users manual. Also includes fully featured IR wireless remote control with laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.



Extra Warranty for Optoma EW1610 - Optoma Technology 1-year extended warranty

Order # 63160

Co-op Price: \$195.00

MSRP: \$195.00

Vendor: Rick's Computers, Inc.

MULTIMEDIA PROJECTORS: Network Managed MultiMedia Projectors

LCD, 2200 Lumens, Networked Multimedia Projector (XGA) -Epson 83+

For lowa customers only.

TX727

LCD; XGA native, 2200 lumens; 1024x768; Aspect Ratio 4:3 (supports 16:9); optical zoom lens; 3,000 / 4,000 hour lamp life; 400:1 contrast ratio; 10W monaural speaker; Closed captioning functionality; Dimension 9.7" x 12.9" x 4.3" (including lens and feet); fan noise 35db high brightness; operates out to 19.7': Remote Control: Source selection, power, aspect, color mode, volume, e-zoom, A/V mute, freeze, menu, help, auto; Video I/O: NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM; HDTV: 480i, 480p, 720p, 1080i. Interfaces: Computer/Component video: Mini D-sub 15 pin x 2; Audio In for Computer/component: RCA x 2; S-video: Mini DIN; Composite video: RCA x 1: Monitor out Composite audio RCA x : Control I/O RJ-45 Network Connection. Supplied Accessories: Power cable, remote control with batteries, computer cable, User Manual on CD-ROM, Quick Setup Sheet, password protect sticker. 6.4 lbs. 3 Year machine warranty and Epson Road Service Program and Epson PrivateLine dedicated toll-free support, 90 lamp warrantv.



Order # 63170 Co-op Price: \$575.46



Vendor: Midwest Computer Products, Inc. http://www.epson.com/cgi-bin/Store/consumer/

MSRP:

consDetail.jsp?BV_UseBVCookie=yes&oid=630 74999



LCD, 2200 Lumens, Networked Multimedia Projector (XGA) -Dukane 8755H-RJ

Net Work version of the Dukane 8755H. LCD; 2200 lumen; XGA 1024 x 768 native resolution; Whiteboard & Blackboard Modes; Easy maintenance with lamp access on top & 2000 hour filter with side access; Monitor loopthrough, remote mouse control; Audio passthrough; Auto Vertical keystone correction; HDTV ready; Lock slot, security bar. Contrast: 500:1; Aspect Ratio: 4:3, 16:9; VGA, SVGA, XGA, SXGA and UXGA, MAC13" and MAC16"; Video Capability: NTSC, HDTV (1080i, 720p, 576i, 480i/p); Projection Modes: Front/rear/ceiling. Lamp Life: 3000 / 4000 hours. Inputs Video: (1) Component, RCA x 3 (1) S-Video, Min DIN 4-pin (1) Composite Video, RCA; Inputs Computer: (2) RGB, 15 pin D-sub; Outputs Control: (1) RS-232, 9 pin D-sub; (1) USB Mouse Control; Audio: 1 speaker, 7 watt; 7.7 lbs. Includes Remote control with batteries, Power cord, RGB cable, RCA video cable, Operators manual, Soft carry case. 5-year warranty parts and labor with 1st year replacement.



Order # 63180

Co-op Price: \$605.26

MSRP: \$1989.00 Vendor: Camcor, Inc.



LCD. 2600 Lumens. Networked Multimedia Projector (XGA) -Epson 822+

For Iowa customers only. 2600 Lumens and native XGA (1024x768) resolution; Aspect ratio 4:3 (supports 16:9); Contrast ratio 400:1; screen size 30"- 300" (2.7'-34.2'); Inputs Composite Video, RCA x 1, Dual Component/VGA (Shares mini D-Sub 15-pin connection) x 1, S-Video (Mini DIN 4-pin (Y/C)) x 1, Ethernet (Network addressable, RJ45) x 1, RS-232 (Serial) x 1, Analog Audio (RCA x 2) x 2; Outputs VGA (Analog data, mini D-Sub 15-pin) x 1, Stereo Mini-Jack (3.5 mm) x 1; video signal NTSC/NTSC4.43/PAL/N-PAL/PAL60/SECAM 480i, 480p, HDTV: 720p, 1080l; Superior sound and communication - 10W speaker; integrated Closed Captioning (CC) decoder; remote control; Network capable - for remote monitor and control with included software; 3000 - 4000 hours lamp life. HDTV-Ready - Supports up to 1080i; Easy to use - auto keystone correction, Instant On, Instant Off, A/V Mute Slide Door; Serial control – RS-232 connection. RJ-45 connectivity allows users to monitor and control over a network.Convenient lamp and air filter access, facilitates easy and affordable replacements. Dimensions: 12.9" Wx 9.6"Dx 4.3" H. Weight 6.4 lbs. 3-year warranty.



Order # 63190

Co-op Price: \$641.70 MSRP: Vendor: Midwest Computer Products. Inc.



http://www.epson.com/cgi-bin/Store/consumer/ consDetail.jsp?BV_UseBVCookie=yes&oid=630 74805

Additional Warranty for Epson 83+ & 822+ - Epson **BFEPPFTPA1 4th Year Warranty**

For lowa customers only.

Order # 63200

Co-op Price: \$102.47

MSRP:

Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 83+ & 822+ - Epson **BFEPPFTPA2 5th Year Warranty**

For lowa customers only.

```
Order # 63210
```

Co-op Price: \$174.92

MSRP:

Vendor: Midwest Computer Products, Inc.

LCD, 2000 Lumens, Networked Ultra-Close Focus Multimedia Projector (XGA) - Hitachi EDA100

LCD; 2,000 ANSI lumens, XGA resolution and a 500:1 contrast ratio. Features an ultra-short throw distance of 60 inches at 1.4 feet., eliminating the problem of presenters obstructing the projected image by standing in front of the screen. ED-A100 also has networking capability, allowing multiple projectors to be controlled and monitored from a single location. This is particularly beneficial in schools and large corporate environments, where projectors are located throughout a facility and the monitoring of each projector is a time-consuming ordeal. With the benefits of networking technology, a technician can monitor details such as lamp life for each projector from his/her computer. The ED-A100 addresses the issue of security with functions such as multilevel PIN locks, a security bar and a Kensington slot. Easy maintenance, its lamp door is on top of the model, and the filter is located on the back, allowing for easy access. The ED-A100 offers additional versatility with its Whiteboard, Blackboard or Day Time Modes. 12.8 lbs. 4-year or 4000 hours which ever comes first warranty. 6 month lamp warranty.







http://www.hitachi-homeelectronics.us/digitalm edia/lcd_projectors/guide/lineup/details/ed-a100 .html#


Vendor: Troxell Communications, Inc.

Short Throw Projector Wall Mounting Arm for Hitachi CP-A100, ED-A100, CP-A52 - Hitachi HITA100WallArm

The Hitachi A100WALLARM Wall Arm Mount attaches to a wall and is designed for the Hitachi CP-A100 LCD projector. The A100WALLARM mounts directly onto any flat wall surface, offering the ability to strategically place the projector out of the way, while maintaining focus on the presentation.



Order # 63230 Co-op Price: \$226.67



Vendor: Troxell Communications. Inc.

http://www.hitachi-homeelectronics.us/digitalm edia/lcd_projectors/mounting_solutions/details/ CPA100WALLARM.html



Multimedia Projectors: Network Managed MultiMedia Projectors

DLP, 4200 Lumens, Networked Multimedia Projector (XGA) - Optoma Technology TXR774

DLP Darkchip 3 Technology - filter free design for zero maintenance & low cost of ownership, XGA 1024 x 768 native resolution, UXGA 1600 x 1200 maximum resolution, 4200 Lumens; 3000:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel DLP Brilliant Color technology, 2000 hour standard / 3000 hour economy user replaceable lamp; Manual Zoom and Focus; HDTV compatible; DVI-I video input, VGA video input, S-Video input, Composite RCA video input, two audio inputs, 3.5mm Stereo Audio output, full time VGA video output, keystone correction, one 3-watt speaker, USB mouse control, RS232 connection, RJ45 ethernet connection to monitor and control projector over network, keystone correction, 3-watt internal speaker, USB connection for mouse control, weighs 8.2 pounds. Standard Accessories - AC power cord, VGA cable, RS232 cable, Composite video cable, S-Video cable, batteries for remote, Quick Start Guide, Warranty Card, Lens Cap, Carrying Case and CD-Rom users manual. Also includes fully featured IR wireless remote control w/ laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.

Order # 63240 Co-op Price: \$1295.00 MSRP: \$3599.00

Vendor: Rick's Computers, Inc.

http://www.riks.com/products/optoma/projector s.php?ID=16

Additional Warranty for Optoma TXR774 - Optoma Technology 1-year extended warranty

Order # 63250

Co-op Price: \$195.00

MSRP: \$195.00

Vendor: Rick's Computers, Inc.

MULTIMEDIA PROJECTORS: L WXGA Multimedia Proiectors

LCD, 1800 Lumen Short Throw Multimedia Projector (WXGA) - Epson 400 W

For Iowa customers only. LCD; 1800 Lumens; WXGA, 1280x800, native resolution. 16:10 aspect ratio; Lamp life 3000/4000 hours. Short-throw lens design reduces shadows from presenters on screens or interactive whiteboards - display an 87-inch, 16:10 image from just 3.4 feet away. Manual Zoom and Focus Digital 1.35x Zoom, F1.80, 6.48 mm focal length Image Size 50 - 100 inches diagonal; Built-in closed captioning; Composite Video, RCA x 1; S-Video (Mini DIN 4-pin (Y/C)) x 1; Ethernet (Network addressable, RJ45) x 1; VGA (Analog data, mini D-Sub 15-pin) x 2; RS-232 (Serial) x 1; Stereo Mini-Jack (3.5 mm) x 2; Analog Audio (RCA x 2) x 1. Outputs: VGA (Analog data, mini D-Sub 15-pin) x 1; Stereo Mini-Jack (3.5 mm) x 1; Built-in Audio 10 W monaural; optional wall mount reduces installation time and costs;Easy network control – RJ-45 and RS-232c connections. Dimensions 12.9" x 10.7" x 6.2" (W x H x D). Weight 7.9 lbs. 3-year parts and labor warranty.



Order # 63260

Co-op Price: \$930.47

MSRP: Vendor: Midwest Computer Products, Inc.



Epson 400 W Projector with Wall Mounting Arm Epson ELPMSTPW - Epson V11H281020WM

For Iowa and Illinois customers only. Includes Epson Wall Arm offers an easier, more affordable solution for installation applications with 35" to 41" adjustable throw distance for mounting the Epson 400W Short Throw Projector. LCD; 1800 Lumens; WXGA, 1280x800, native resolution. 16:10 aspect ratio; Lamp life 3000/4000 hours. Short-throw lens design reduces shadows from presenters on screens or interactive whiteboards - display an 87-inch, 16:10 image from just 3.4 feet away. Manual Zoom and Focus Digital 1.35x Zoom, F1.80, 6.48 mm focal length Image Size 50 - 100inches diagonal; Built-in closed captioning; Composite Video, RCA x 1; S-Video (Mini DIN 4-pin (Y/C)) x 1; Ethernet (Network addressable, RJ45) x 1; VGA (Analog data, mini D-Sub 15-pin) x 2; RS-232 (Serial) x 1; Stereo Mini-Jack (3.5 mm) x 2; Analog Audio (RCA x 2) x 1. Outputs: VGA (Analog data, mini D-Sub 15-pin) x 1; Stereo Mini-Jack (3.5 mm) x 1; Built-in Audio 10 W monaural; optional wall mount reduces installation time and costs;Easy network control - RJ-45 and RS-232c connections. Dimensions 12.9" x 10.7" x 6.2" (W x H x D). Weight 7.9 lbs. 3-year parts and labor warranty.



TXB774

Order # 63270 Co-op Price: \$1178.87

MSRP:

Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 400W - Epson BFEPPFTPA1 4th Year Warranty

For lowa customers only.

Order # 63280

Co-op Price: \$102.47

MSRP:

Vendor: Midwest Computer Products, Inc.

Additional Warranty for Epson 400W - Epson BFEPPFTPA2 5th Year Warranty

For lowa customers only.

Order # 63290

Co-op Price: \$174.92

MSRP:

Vendor: Midwest Computer Products, Inc.

DLP, 2700 Lumens, Multimedia Projector (WXGA) w/Zoom Lens - Optoma Technology EW1610

DLP Technology - filter free design for zero maintenance & low cost of ownership. WXGA 1280 x 800 native resolution, WUXGA 1920 x 1200 maximum resolution, 2700 Lumens; 2200:1 contrast ratio; Express 10 second startup and shutdown feature, 5 segment color wheel creates the new DLP Brilliant Color technology which elevates color fidelity and performance, 3000 hour standard / 4000 hour economy mode user replaceable 200 watt lamp; Manual Zoom and Focus Lens; HDTV compatible; DVI-I & VGA Video inputs, S-Video input, 3.5mm audio input, USB connection for remote control input, full time functional VGA video output, keystone correction, 2-watt internal speaker, weighs 4 pounds. Standard Accessories - AC power cord, VGA cable, USB cable, batteries for remote, user guide, warranty card, soft carrying case and CD-Rom users manual. Also includes fully featured IR wireless remote control with laser pointer and mouse control functions. Optoma 3 year Express Replacement Service Warranty with 1 year Warranty on lamp.



Order # 63300 Co-op Price: \$850.00

MSRP: \$1999.00

Vendor: Rick's Computers, Inc.



EW1610

http://www.riks.com/products/optoma/projector s.php?ID=13

Extra Warranty for Optoma EW1610 - Optoma Technology 1-year extended warranty

4th-year warranty for Optoma projectors. Must be purchased at the same time as the projector.

Order # 63310

Co-op Price: \$195.00

MSRP: \$195.00

Vendor: Rick's Computers, Inc.

MULTIMEDIA PROJECTORS: Projector Case

Soft Carrying Case for Dukane 8755H - Dukane 128-8755 Soft Side Bag.

Order # 63320

Co-op Price: \$21.07 MSRP: \$35.00 Vendor: Camcor, Inc.

MULTIMEDIA PROJECTORS: Projector Mounting Brackets

Ceiling Mounting Brackets for Multimedia Projectors -Peerless PRSUNV

For the quickest and easiest installation Peerless is proud to introduce the new PRS Series- the lowest profile projector mount on the market! This design features the Spider Universal Adapter Plate- a breakthrough design that adjusts to fit virtually every projector on the market. It offers unmatched versatility and includes multiple hardware choices and four adjustable legs to align with the projector's mounting holes. The design allows for proper projector ventilation and ships standard with Armor Lock security. FEATURES: Easy to install preassembled design - just attach adapter plate and bracket to ceiling. Minimum Adjustment Points (4) for simple projector alignment; Quick release for easy projector removal and maintenance. Easy cord management via access opening. Includes mounting hardware for wood joist or concrete; All-metal construction; Armor Lock Security at every connection point. 5 Year warranty.

Order # 63330

Co-op Price: \$94.47

MSRP: \$235.00

Vendor: Troxell Communications, Inc. http://www.peerlessindustries.com/dyn/Produc

Peerless PJF2UNV



ts/BrowseProduct.aspx/productId/149227/cate goryID/193/u/T Ceiling Mounting Brackets for Multimedia Projectors -

The PJF2 provides a clean look with its NEW cable management capabilities. The included extension column connector incorporates internal cord management paths that keep unsightly cords concealed from view. The mount also features a ceiling plate, ball and socket design, multidirectional positioning (roll, pitch, and swivel) for proper image alignment and complete Armor Lock security at every connection point. This projector mount is perfect for use in classrooms, boardrooms, hotels, bars and restaurants or anywhere a projector needs to be mounted. The PJF2 can be flush mounted, mounted using 1-1/2" diameter extension column, mounted using 1/2" thread rod or wall mounted. Both universal and model specific PJF2 mounts include pre-assembled adapter plates to shorten installation time. 5 Year warranty.

Order # 63340

Co-op Price: \$73.25

MSRP: \$189.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/productID/149298/categor yID/193/u/T

Universal Projector Mount for Projectors Weighing Up to 50 Ibs - Peerless PRGUNV

Peerless' PRG Precision Gear Projector Mount is changing the way image alignment is done. The patent-pending precision gear design provides exact tilt and roll image positioning with a simple turn of a knob. Once the installer sets the precision gear to the desired position it stays securely in place. It will not shift during projector maintenance, bulb replacement, and will not loosen or change alignment due to vibration, accidental bumping etc. With Peerless' PRG Precision Gear Projector Mount the installer sets it and forgets it. 5-year warranty.



Co-op Price: \$94.47

MSRP: \$229.00

A.

with the

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/sp/9840/



Peerless Round Structural Ceiling Plate, ACC570 - Peerless ACC570

The Round Ceiling Plate is designed for use with Peerless Vector Pro LCD Projector Mounts. Standard threaded gas pipe can be used for extensions. Also works with Peerless PJRL40 & PJRL45.

Order # 63360

Co-op Price: \$12.74

MSRP: \$25.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/modeIID/149805/productI . D/166129

Peerless Truss Ceiling Adapter, ACC 557 - Peerless ACC557

This ceiling fixture attaches to a round truss up to 3" (76mm) in diameter or a square, rectangular, or I-beam truss [3" wide x 3.5" high (76 x 89mm) max.]. The 1 1/2-11.5 NPS threaded fitting interfaces with Peerless Fixed Length and Adjustable Length Extension Columns.

Order # 63370

Co-op Price: \$21.65

MSRP: \$42.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/Products/Bro wseProduct.aspx?productID=166115

Peerless Unistrut Adapter for Truss Ceilings, ACC550 -Peerless ACC550

Peerless' Unistrut Adapter for Truss Ceilings is used for flat panel, CRT and projector applications. This ceiling fixture attaches to 1 5/8" x 1 5/8" Unistrut. The 1 1/2-11.5 NPS threaded fitting interfaces with Peerless Fixed Length and Adjustable Length Extension Columns.

Order # 63380

Co-op Price: \$14.83

MSRP: \$30.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/Products/Bro wseProduct.aspx?productID=166109

Peerless Lightweight Cathedral Ceiling Adapter Plate for Projector Mounts, ACC 912 - Peerless ACC912

The Lightweight Cathedral Ceiling Plate allows a projector to be mounted to an angled ceiling. It can be used with or without an extension column and offers 120° of adjustment. It is specifically designed for projectors and offers a low-profile, secure solution to complement sleek, lightweight projectors.

Order # 63390

Co-op Price: \$19.87

MSRP: \$39.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/Products/Bro wseProduct.aspx?productID=166112

PeerlessCMJ 300 - 4" x 4" Unistruct and Structural Ceiling Plate, CMJ300 - Peerless CMJ300

Order # 63400

Co-op Price: \$12.74

MSRP: \$25.00 Vendor: Troxell Communications, Inc.



Peerless Variable Position Suspended Ceiling Kit, One Piece, CMJ450 - Peerless CMJ450

The Suspended Ceiling Plate for Jumbo Mounts consists of a 24"(610mm) x 24"(610mm) ceiling tray suspended by four tie wires from the true ceiling above. A fifth "safety cable" is also provided.

Order # 63410

Co-op Price: \$67.33

MSRP: \$149.00

Vendor: Troxell Communications, Inc.



http://www.peerlessmounts.com/dvn/Products/ BrowseProduct.aspx/productID/166081/u/T

Peerless Variable Position Suspended Ceiling Kit Light, CMJ 455 - Peerless CMJ455

The Lightweight Suspended Ceiling Plate for Projector Mounts consists of an 8"(203mm) x 24"(610mm) filler tray and a 15.75"(400mm) x 24"(610mm) ceiling tray suspended by four tie wires from the true ceiling above.

Order # 63420

Co-op Price: \$49.51

MSRP: \$98.00

Vendor: Troxell Communications. Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/productID/166080/u/T

Peerless Suspended Ceiling Kit Adj., CMJ 500 - Peerless **CMJ500**

The Lightweight Suspended Ceiling Plate for Projector Mounts consists of an 8"(203mm) x 24"(610mm) filler tray and a 15.75"(400mm) x 24"(610mm) ceiling tray suspended by four tie wires from the true ceiling above.

Order # 63430

Co-op Price: \$61.53

MSRP: \$121.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dvn/Products/ BrowseProduct.aspx/modeIID/149940/productI . D/166080

PeerlessADJ - Adjustable Extensions for Ceiling Mounts -Peerless ADJ006009

6"-9" Adjustable Hight Extension Column. Peerless ADJ Adjustable Extension Columns represent the perfect choice anytime drop adjustments are needed. The exact position of the mount and display need not be predetermined and the length can easily be adjusted at 1" increments at the time of installation and then locked into place. Lengths from 6 in. to 12 ft. are available. The Adjustable Extension Column is compatible Peerless' TV mounts, flat panel mounts and projector mounts. This product is for use with single display installations. Features: 1-1/2" - 11.5 NPT Schedule 40 pipe threaded on both ends. Notched for use with screw to provide safety and security; Height adjustment at 1" increments; Extension column lengths measure 3.5" longer then stated drop to provide finished drop length for various mounts; Black.



Co-op Price: \$31.26

MSRP:

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/en/dvn/Produ cts/BrowseProduct.aspx/modeIID/149877/prod uctID/149186/categoryID/194











Peerless Adjustable Length Extension Columns, ADJ 012018 - Peerless ADJ012018

12" to 18" Adjustable. Peerless ADJ Adjustable Extension Columns represent the perfect choice anytime drop adjustments are needed. The exact position of the mount and display need not be predetermined and the length can easily be adjusted at 1" increments at the time of installation and then locked into place. Lengths from 6 in. to 12 ft. are available. The Adjustable Extension Column is compatible Peerless' TV mounts, flat panel mounts and projector mounts. This product is for use with single display installations.

Order # 63450

Co-op Price: \$52.67

MSRP: \$104.00

Vendor: Troxell Communications. Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/modeIID/149878/productI D/149186

Peerless Adjustable Length Extension Columns, ADJ 018024 - Peerless ADJ018024

18"-24" Adjustable. Peerless ADJ Adjustable Extension Columns represent the perfect choice anytime drop adjustments are needed. The exact position of the mount and display need not be predetermined and the length can easily be adjusted at 1" increments at the time of installation and then locked into place. Lengths from 6 in. to 12 ft. are available. The Adjustable Extension Column is compatible Peerless' TV mounts, flat panel mounts and projector mounts. This product is for use with single display installations.

Order # 63460

Co-op Price: \$53.22

MSRP: \$105.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dvn/Products/ BrowseProduct.aspx/modeIID/149879/productI D/149186

Peerless Adjustable Length Extension Columns, ADJ 0203 -Peerless ADJ0203

2' to 3' Adjustable. Peerless ADJ Adjustable Extension Columns represent the perfect choice anytime drop adjustments are needed. The exact position of the mount and display need not be predetermined and the length can easily be adjusted at 1" increments at the time of installation and then locked into place. Lengths from 6 in. to 12 ft. are available. The Adjustable Extension Column is compatible Peerless' TV mounts, flat panel mounts and projector mounts. This product is for use with single display installations.

Order # 63470

Co-op Price: \$49.92

MSRP: \$120.00

Vendor: Troxell Communications, Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/modelID/149880/productI . D/149186

Peerless Adjustable Length Extension Columns, ADJ 0305 -Peerless ADJ0305

3' to 5' Adjustable. Peerless ADJ Adjustable Extension Columns represent the perfect choice anytime drop adjustments are needed. The exact position of the mount and display need not be predetermined and the length can easily be adjusted at 1" increments at the time of installation and then locked into place. Lengths from 6 in. to 12 ft. are available. The Adjustable Extension Column is compatible Peerless' TV mounts, flat panel mounts and projector mounts. This product is for use with single display installations

Order # 63480

Co-op Price: \$62.05

MSRP: \$122.00

Vendor: Troxell Communications. Inc.

http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/modeIID/149881/productI D/149186

Peerless Multimedia Projector Enclosure - Peerless PE1120 Black

Lock in the highest level of projector security with the PE1120. Solid 1/2" diameter steel bars provide protection from theft or accidental damage. Installation is a snap - just snap the two halves of the steel frame together and hook the enclosure body to the frame. It's so easy that you can attach it to existing multimedia projector installations without having to remove the projector mount or disturb the image alignment settings. It's the toughest security available with a user-friendly design. State color on PO - Black or White PE1120-W. 5-year warranty.



Vendor: Troxell Communications. Inc.



http://www.peerlessmounts.com/dyn/Products/ BrowseProduct.aspx/tn/280

